



SS 1005  
Lane Screw Driver



SS 1010  
Hexagonal Screw Driver with Sleeve 2.5mm Tip



SS 1015  
Hexagonal Screw Driver with Self Holding Sleeve  
2.5mm Tip



SS 1020  
Hexagonal Screw Driver with Self Holding Sleeve  
3.5mm Tip



SS 1025  
Small Hexagonal Screw Driver 2.5mm Tip



SS 1030  
Large Hexagonal Screw Driver 3.5mm Tip



SS 1035  
Screw Driver Shaft Q. C. End - 2.5mm Tip



SS 1040  
Screw Driver Shaft Q. C. End - 3.5mm Tip





SS 1045 \_\_\_\_\_  
Small Plate Bender (Pair)




SS 1050 \_\_\_\_\_  
Large Plate Bender (Pair)



SS 1055 \_\_\_\_\_  
Plate Bending Plier (Roller Type)



SS 1060 \_\_\_\_\_  
Plate Bender for Reconstruction Plates



Cat. No.	Size
SS 1060-101	For 2.7 mm Plates
SS 1060-102	For 3.5 mm Plates
SS 1060-103	For 4.5 mm Plates

SS 1065 \_\_\_\_\_  
Plate Bending Press



SS 1070 \_\_\_\_\_  
Small Depth Gauge



SS 1075 \_\_\_\_\_  
Large Depth Gauge



SS 1080 \_\_\_\_\_  
Small Neutral & Loaded Drill Guide





SS 1085 \_\_\_\_\_  
Large Neutral & Loaded Drill Guide



SS 1090 \_\_\_\_\_  
DCP Drill Guide for 2.7mm Screws (2.0mm Drill Bit)



SS 1095 \_\_\_\_\_  
Counter Sink - 5.0mm Head



SS 1100 \_\_\_\_\_  
Counter Sink - 6.0mm Head



SS 1105 \_\_\_\_\_  
Counter Sink - 8.0mm Head



SS 1110 \_\_\_\_\_  
Counter Sink - Q. C. End - for 1.5/2.0mm Screws



SS 1115 \_\_\_\_\_  
Counter Sink - Q. C. End - 5.0mm Head



SS 1120 \_\_\_\_\_  
Counter Sink - Q. C. End - 6.0mm Head





SS 1125 \_\_\_\_\_  
Counter Sink - Q. C. End - 8.0mm Head



SS 1130 \_\_\_\_\_  
Quick Coupling Handle (T - Type)



SS 1135 \_\_\_\_\_  
Quick Coupling Handle (Fibre Handle)



SS 1140 \_\_\_\_\_  
Quick Coupling Adaptor for Drill Bits



SS 1145 \_\_\_\_\_  
Quick Coupling Tap Handle - Long - T - Shape



SS 1150 \_\_\_\_\_  
Drill Sleeve - 2.0mm



SS 1155 \_\_\_\_\_  
Drill Sleeve - 2.5mm



SS 1160 \_\_\_\_\_  
Drill Sleeve - 3.2mm





SS 1165 \_\_\_\_\_  
Drill Sleeve - 3.5mm



SS 1170 \_\_\_\_\_  
Drill Sleeve - 4.5mm



SS 1175 \_\_\_\_\_  
Double Drill Sleeve - 1.5/1.1mm



SS 1180 \_\_\_\_\_  
Double Drill Sleeve - 2.0/1.5mm



SS 1185 \_\_\_\_\_  
Double Drill Sleeve - 2.7/2.0mm



SS 1190 \_\_\_\_\_  
Drill & Tap Sleeve Combined - 2.5/3.5mm



SS 1195 \_\_\_\_\_  
Drill & Tap Sleeve Combined - 3.2/4.5mm



SS 1200 \_\_\_\_\_  
Drill & Tap Sleeve Combined - 3.2/6.5mm







**SS 1205** \_\_\_\_\_  
Insert Drill Sleeve - 2.5mm



**SS 1210** \_\_\_\_\_  
Insert Drill Sleeve - 3.2mm



**SS 1215** \_\_\_\_\_  
Pointed Drill Guide with 4.5mm Tap Sleeve & 3.2mm Insert Drill Sleeve



**SS 1220** \_\_\_\_\_  
Screw Holding Forceps



**SS 1225** \_\_\_\_\_  
Hollow Mill - Small - For Removal of Drill Bits



**SS 1230** \_\_\_\_\_  
Hollow Mill - Medium - For Removal of 3.5mm Screws



**SS 1235** \_\_\_\_\_  
Hollow Mill - Large - For Removal of 4.5mm & 6.5mm Screws



SS 2005 \_\_\_\_\_  
Mini Hexagonal Screw Driver with Sleeve 1.5mm Tip



SS 2010 \_\_\_\_\_  
Mini Drill Sleeve



SS 2015 \_\_\_\_\_  
Mini Tap Sleeve



SS 2020 \_\_\_\_\_  
Mini Depth Gauge



SS 2025 \_\_\_\_\_  
Mini Self Retaining Retractor for Fingers



SS 2030 \_\_\_\_\_  
Mini Self Retaining Retractor for Metacarpals



SS 2035 \_\_\_\_\_  
Mini Self Retaining Retractor for Metacarpals with Hinge



SS 2040 \_\_\_\_\_  
Mini Neutral & Loaded Drill Guide - for 1.5mm Drill Bit



SS 2045 \_\_\_\_\_  
Mini Plate Bender (Pair)



SS 2050 \_\_\_\_\_  
Mini Screw Holding Forceps for 1.5 & 2.0mm Screws



SS 2055 \_\_\_\_\_  
Hollow Mill for 1.5 & 2.0mm Screws



SS 2060 \_\_\_\_\_  
Mini Plate Holding Forceps



SS 2065 \_\_\_\_\_  
Mini Plate & Bone Holding Forceps



SS 2070 \_\_\_\_\_  
Mini Reduction Forceps



SS 2075 \_\_\_\_\_  
Mini Reduction Forceps - Pointed



SS 2080 \_\_\_\_\_  
Mini Periosteal Elevator





**SS 2085**  
Mini Chisels



Cat. No.	Size
SS 2085-101	4 mm
SS 2085-102	6 mm
SS 2085-103	8 mm
SS 2085-104	10 mm
SS 2085-105	12 mm

**SS 2090**  
Mini Osteotomes



Cat. No.	Size
SS 2090-101	4 mm
SS 2090-102	6 mm
SS 2090-103	8 mm
SS 2090-104	10 mm
SS 2090-105	12 mm

**SS 2095**  
Mini Gouge



Cat. No.	Size
SS 2095-101	4 mm
SS 2095-102	6 mm
SS 2095-103	8 mm
SS 2095-104	10 mm
SS 2095-105	12 mm

**SS 2100**  
Mini Hand Drill with Three Collets



**SS 2105**  
Mini Hohmann Retractor



Cat. No.	Size
SS 2105-101	6 mm
SS 2105-102	8 mm
SS 2105-103	10 mm



**SS 3005** \_\_\_\_\_  
Universal Bone Drill with S. S. Gears



**SS 3010** \_\_\_\_\_  
Micro Hand Drill with S. S. Gears



**SS 3015** \_\_\_\_\_  
Universal Open Hand Drill with S. S. Gears



**SS 3020** \_\_\_\_\_  
Micro Open Hand Drill with S. S. Gears



**SS 3025** \_\_\_\_\_  
Wire Twister - Circular



**SS 3030** \_\_\_\_\_  
Wire Tightner with Two Pegs



**SS 3035** \_\_\_\_\_  
Wire Tightner Cum Twister



**SS 3040** \_\_\_\_\_  
K. Wire Introducer - For 1.5 & 2.0mm Wires





SS 3045 \_\_\_\_\_  
Guide Wire Introducer with Four Pegs



SS 3050 \_\_\_\_\_  
K. Wire Bender



SS 3055 \_\_\_\_\_  
K. Wire Tractor



Cat. No.	Size
SS 3055-101	Small
SS 3055-102	Medium
SS 3055-103	Large

SS 3060 \_\_\_\_\_  
Wire Passer - Small



SS 3065 \_\_\_\_\_  
Wire Passer - Medium



SS 3070 \_\_\_\_\_  
Wire Passer - Large



SS 3075 \_\_\_\_\_  
Plier Cum Wire Bender



SS 3080 \_\_\_\_\_  
Plier Cum Wire Bender Cum Wire Cutter - 6"





**SS 3085** \_\_\_\_\_  
Plier Cum Wire Bender Cum Wire Cutter - 9"



**SS 3090** \_\_\_\_\_  
Plier Cum Wire Bender Cum Wire Cutter - 11"



**SS 3095** \_\_\_\_\_  
Wire Cutter - Double Action, Length - 250mm  
(Cutting Capacity 2.5mm)



**SS 3100** \_\_\_\_\_  
Flat Nose Plier



**SS 3105** \_\_\_\_\_  
Steinmann Pin Introducer with S. S. Chuck & Key



**SS 3110** \_\_\_\_\_  
Spare S. S. Chuck & Key



**SS 3115** \_\_\_\_\_  
Steinmann Pin Holder



**SS 3120** \_\_\_\_\_  
Steinmann Pin Holder



Cat. No.	Size	Dimensions (Width X Length)
SS 3115-101	Small	130 mm x 180 mm
SS 3115-102	Medium	130 mm x 240 mm
SS 3115-103	Large	130 mm x 280 mm

Cat. No.	Size	Dimensions (Width X Length)
SS 3120-101	14"	130 mm x 340 mm
SS 3120-102	16"	130 mm x 380 mm
SS 3120-103	18"	130 mm x 420 mm
SS 3120-104	20"	130 mm x 460 mm





SS 3125 \_\_\_\_\_  
Bone Awl



SS 3130 \_\_\_\_\_  
Reamer - Perthes, 18.5cm



SS 3135 \_\_\_\_\_  
Small Heck Saw with Two Blades



SS 3140 \_\_\_\_\_  
Spare Blade for Small Heck Saw



SS 3145 \_\_\_\_\_  
Tripple Drill Guide



SS 3150 \_\_\_\_\_  
Long Forceps for Twisting Wire



SS 3155 \_\_\_\_\_  
Holding Forceps for Circlage Wire



SS 3160 \_\_\_\_\_  
Circlage Wire Tightner





**SS 3165**  
Self Centering Bone Holding Forceps



Cat. No.	Length
SS 3165-101	150 mm
SS 3165-102	190 mm
SS 3165-103	240 mm
SS 3165-104	260 mm
SS 3165-105	280 mm

**SS 3170**  
Reduction Forceps - Serrated - Ratchet Lock



Cat. No.	Length
SS 3170-101	140 mm
SS 3170-102	170 mm

**SS 3175**  
Reduction Forceps - Serrated - Speed Lock



Cat. No.	Length
SS 3175-101	170 mm
SS 3175-102	200 mm
SS 3175-103	240 mm

**SS 3180**  
Reduction Forceps - Pointed - Ratchet Lock



Cat. No.	Length
SS 3180-101	140 mm
SS 3180-102	170 mm
SS 3180-103	200 mm

**SS 3185**  
Reduction Forceps - Pointed - Speed Lock



Cat. No.	Length
SS 3185-101	170 mm
SS 3185-102	200 mm
SS 3185-103	240 mm

**SS 3190**  
Patella Bone Holding Forceps - Three Prong



**SS 3195**  
Patella Bone Holding Forceps - Four Prong



**SS 3200**  
Pelvic Reduction Forceps, Oblique, Small  
Length - 190mm, with Pointed Ball Tips, Speed Lock





**SS 3205**  
Pelvic Reduction Forceps, Oblique, Small  
Length - 240mm, with Pointed Ball Tips, Speed Lock



**SS 3210**  
Pelvic Reduction Forceps  
Length - 400mm, with Pointed Ball Tips, Speed Lock



**SS 3215**  
Pelvic Reduction Forceps, Small, For Screws  
Length - 200mm, use with 3.5 and 4.5mm Cortical Screws



**SS 3220**  
Pelvic Reduction Forceps, Medium, For Screws  
Length - 250mm, use with 3.5 and 4.5mm Cortical Screws



**SS 3225**  
Pelvic Reduction Forceps, Large, For Screws, Length - 330mm,  
Speed Lock, Fixation with 4.5mm Cortical Screws



**SS 3230**  
Pelvic Reduction Forceps, with Angled Pointed  
Ball Tips, Length - 250mm, Speed Lock



**SS 3235**  
Pelvic Reduction Forceps, Long, with Pointed Ball Tips, Length  
- 400mm, Speed Lock



**SS 3240**  
Pelvic Reduction Forceps, Long, with Three Pointed Ball Tips,  
Length - 400mm, Speed Lock





SS 3245 \_\_\_\_\_  
Fibula Holding Forceps, Straight - 210mm



SS 3250 \_\_\_\_\_  
Fibula Holding Forceps, Curved - 210mm



SS 3255 \_\_\_\_\_  
Holding Forceps for Tibial Edge Fragment - 210mm



SS 3260 \_\_\_\_\_  
Malleolar Forceps - 210mm



SS 3265 \_\_\_\_\_  
Bone & Plate Holding Forceps - For Forearm



SS 3270 \_\_\_\_\_  
Bone & Plate Holding Forceps - For Tibia



SS 3275 \_\_\_\_\_  
Bone & Plate Holding Forceps - For Femur



SS 3280 \_\_\_\_\_  
Lane Bone Holding Forceps with Ratchet



Cat. No.	Size
SS 3280-101	200 mm
SS 3280-102	250 mm
SS 3280-103	300 mm



SS 3285 \_\_\_\_\_  
Lane Bone Holding Forceps without Ratchet



Cat. No.	Size
SS 3285-101	200 mm
SS 3285-102	250 mm
SS 3285-103	300 mm

SS 3290 \_\_\_\_\_  
Burn's Bone Holding Forceps



SS 3295 \_\_\_\_\_  
Lowman Bone Clamp - For Fingers (Mini)



SS 3300 \_\_\_\_\_  
Lowman Bone Clamp - For Forearms (Extra Small)



SS 3305 \_\_\_\_\_  
Lowman Bone Clamp.



Cat. No.	Size
SS 3305-101	Small (for Humerus)
SS 3305-102	Medium (for Tibia)
SS 3305-103	Large (for Femur)





**SS 4005** \_\_\_\_\_  
Bone Cutting Forceps - Straight (Double Action)



Cat. No.	Size
SS 4005-101	190 mm
SS 4005-102	225 mm
SS 4005-103	270 mm

**SS 4010** \_\_\_\_\_  
Bone Cutting Forceps - Curved (Double Action)



Cat. No.	Size
SS 4010-101	190 mm
SS 4010-102	225 mm
SS 4010-103	270 mm

**SS 4015** \_\_\_\_\_  
Bone Nibbler - Straight (Double Action)



Cat. No.	Size
SS 4015-101	190 mm
SS 4015-102	225 mm
SS 4015-103	270 mm

**SS 4020** \_\_\_\_\_  
Bone Nibbler - Curved (Double Action)



Cat. No.	Size
SS 4020-101	190 mm
SS 4020-102	225 mm
SS 4020-103	270 mm

**SS 4025** \_\_\_\_\_  
Bone Nibbler - Angular (Double Action)



Cat. No.	Size
SS 4025-101	190 mm
SS 4025-102	225 mm
SS 4025-103	270 mm

**SS 4030** \_\_\_\_\_  
Tuder Edward Bone Cutting Forceps



**SS 4035** \_\_\_\_\_  
Amputation Saw



**SS 4040** \_\_\_\_\_  
Finger Saw







SS 4045 \_\_\_\_\_  
Bone File - Half Round - Pointed



SS 4050 \_\_\_\_\_  
Bone File - Flat



Cat. No.	Size
SS 4050-101	100 mm
SS 4050-102	150 mm

SS 4055 \_\_\_\_\_  
Chisels with Fibre Handle



Cat. No.	Size
SS 4055-101	5 mm
SS 4055-102	10 mm
SS 4055-103	15 mm
SS 4055-104	20 mm
SS 4055-105	25 mm
SS 4055-106	30 mm

SS 4060 \_\_\_\_\_  
Doyen's Rib Shearer



SS 4065 \_\_\_\_\_  
Osteotome with Fibre Handle - Straight



Cat. No.	Size	Cat. No.	Size
SS 4065-101	5 mm	363.016	16 mm
SS 4065-102	8 mm	363.018	18 mm
SS 4065-103	10 mm	363.020	20 mm
SS 4065-104	12 mm	363.025	25 mm
SS 4065-105	14 mm	363.030	30 mm

SS 4070 \_\_\_\_\_  
Osteotome with Fibre Handle - Curved



Cat. No.	Size	Cat. No.	Size
SS 4070-101	5 mm	364.016	16 mm
SS 4070-102	8 mm	364.018	18 mm
SS 4070-103	10 mm	364.020	20 mm
SS 4070-104	12 mm	364.025	25 mm
SS 4070-105	14 mm	364.030	30 mm

SS 4075 \_\_\_\_\_  
Gouge with Fibre Handle - Straight



Cat. No.	Size	Cat. No.	Size
SS 4075-101	5 mm	365.016	16 mm
SS 4075-102	8 mm	365.018	18 mm
SS 4075-103	10 mm	365.020	20 mm
SS 4075-104	12 mm	365.025	25 mm
SS 4075-105	14 mm	365.030	30 mm


SS 4080 \_\_\_\_\_  
Gouge with Fibre Handle - Curved



Cat. No.	Size	Cat. No.	Size
SS 4080-101	5 mm	366.016	16 mm
SS 4080-102	8 mm	366.018	18 mm
SS 4080-103	10 mm	366.020	20 mm
SS 4080-104	12 mm	366.025	25 mm
SS 4080-105	14 mm	366.030	30 mm



SS 4085 \_\_\_\_\_  
Bone Curette - Double Ended



Cat. No.	Size
SS 4085-101	4 mm x 6 mm
SS 4085-102	6 mm x 9 mm
SS 4085-103	9 mm x 12 mm

SS 4090 \_\_\_\_\_  
Bruns Bone Curette with Fibre Handle



Cat. No.	Size	Cat. No.	Size
SS 4090-101	3 mm	367.028	8 mm
SS 4090-102	4 mm	367.030	10 mm
SS 4090-103	5 mm	367.032	12 mm
SS 4090-104	6 mm		



SS 5005 \_\_\_\_\_

Bone Hook - Small



SS 5010 \_\_\_\_\_

Bone Hook - Medium



SS 5015 \_\_\_\_\_

Bone Hook - Large



SS 5020 \_\_\_\_\_

Skin Hook - Single Pronged



SS 5025 \_\_\_\_\_

Skin Hook - Two Pronged



SS 5030 \_\_\_\_\_

Skin Hook - Three Pronged



SS 5035 \_\_\_\_\_

Sharp Hook



SS 5040 \_\_\_\_\_

Lane's Bone Lever - Serrated





SS 5045

Lane's Bone Lever - Plain - Small



SS 5050

Lane's Bone Lever - Plain - Large



SS 5055

Bristow's Retractor



SS 5060

Lagenback Retractor - Small



SS 5065

Lagenback Retractor - Large



SS 5070

Volkman's Retractor - Two Pronged



SS 5075

Volkman's Retractor - Three Pronged



SS 5080

Volkman's Retractor - Four Pronged





SS 5085  
Volkman's Retractor - Five Pronged



SS 5090  
Right Angle Retractor



SS 5095  
Double Hook Retractor



SS 5100  
Initial Incision Retractor with Weight & Chain



SS 5105  
Hohmann Retractor  
6mm Wide, Short Narrow Point, 160mm Length



SS 5110  
Hohmann Retractor  
8mm Wide, Short Narrow Point, 160mm Length



SS 5115  
Hohmann Retractor, 15mm Wide, 160mm Length



SS 5120  
Hohmann Retractor  
8mm Wide, Short Narrow Tip, 220mm Length







**SS 5125** \_\_\_\_\_  
Hohmann Retractor  
18mm Wide, Short Narrow Tip, 235mm Length



**SS 5130** \_\_\_\_\_  
Hohmann Retractor  
18mm Wide, Long Narrow Tip, 235mm Length



**SS 5135** \_\_\_\_\_  
Hohmann Retractor  
22mm Wide, with Wide Tip, 250mm Length



**SS 5140** \_\_\_\_\_  
Hohmann Retractor  
24mm Wide, with Long Wide Tip, 270mm Length



**SS 5145** \_\_\_\_\_  
Hohmann Retractor  
43mm Wide, Narrow Tip, 240mm Length



**SS 5150** \_\_\_\_\_  
Hohmann Retractor  
70mm Wide, Narrow Tip, 240mm Length



**SS 5155** \_\_\_\_\_  
Self Retaining Retractor - Small



**SS 5160** \_\_\_\_\_  
Self Retaining Retractor - Medium





SS 5165 \_\_\_\_\_  
Self Retaining Retractor - Large



SS 5170 \_\_\_\_\_  
Self Retaining Retractor - Extra Large



SS 5175 \_\_\_\_\_  
Gelpi Retractor - Small



SS 5180 \_\_\_\_\_  
Gelpi Retractor - Medium



SS 5185 \_\_\_\_\_  
Gelpi Retractor - Large



SS 5190 \_\_\_\_\_  
Periosteal Elevator - Straight



SS 5195 \_\_\_\_\_  
Periosteal Elevator - Curved



Cat. No.	Size	Cat. No.	Size
SS 5190-101	6 mm	381.014	14 mm
SS 5190-102	8 mm	381.016	16 mm
SS 5190-103	10 mm	381.020	20 mm
SS 5190-104	12 mm	381.025	25 mm

Cat. No.	Size	Cat. No.	Size
SS 5195-101	6 mm	382.014	14 mm
SS 5195-102	8 mm	382.016	16 mm
SS 5195-103	10 mm	382.020	20 mm
SS 5195-104	12 mm	382.025	25 mm

SS 5200 \_\_\_\_\_  
Bone Spreader



Cat. No.	Size
SS 5200-101	140 mm
SS 5200-102	210 mm
SS 5200-103	270 mm

SS 6005  
K. Nail Driver



SS 6010  
K. Nail Setting Device



SS 6015  
K. Nail Extractor with Two Hooks



SS 6020  
K. Nail Measuring Gauge




SS 6025  
Diamond Pointed Awl



SS 6030  
Guide Wire for K. Nail



SS 6035  
K. Nail Reamer



Cat. No.	Size
SS 6035-101	6 mm
SS 6035-102	7 mm
SS 6035-103	8 mm
SS 6035-104	9 mm
SS 6035-105	10 mm
SS 6035-106	11 mm
SS 6035-107	12 mm
SS 6035-108	13 mm
SS 6035-109	14 mm

SS 6040  
Spare Hook for K. Nail Extractor



Cat. No.	Size
SS 6030-101	2.5 mm for 6 & 7 mm Nails
SS 6030-102	3.0 mm for 8 & 9 mm Nails
SS 6030-103	4.0 mm for 10 & 11 mm Nails
SS 6030-104	4.5 mm for 12 & 13 mm Nails



SS 6045

K. Nail Extractor Set - Slide Hammer with Handle



SS 6050

Locking Plier








SS 7005 \_\_\_\_\_  
Impactor for Square Nail .



Cat. No.	Size
SS 7005-101	2.0 mm
SS 7005-102	2.5 mm
SS 7005-103	3.0 mm
SS 7005-104	3.5 mm

SS 7010 \_\_\_\_\_  
Square Nail Reamer



SS 6050

Cat. No.	Size
SS 7010-101	2.0 mm
SS 7010-102	2.5 mm
SS 7010-103	3.0 mm
SS 7010-104	3.5 mm
SS 7010-105	4.0 mm

SS 7015 \_\_\_\_\_  
Square Nail Extractor Hook



Cat. No.	Size
SS 7015-101	2.0 mm
SS 7015-102	2.5 mm
SS 7015-103	3.0 mm
SS 7015-104	3.5 mm

SS 7020 \_\_\_\_\_  
Rush Nail Impactor/Introducer





**SS 8005** \_\_\_\_\_  
Rasp for Austin Moore - Standard Stem



**SS 8010** \_\_\_\_\_  
Rasp for Austin Moore - Narrow Stem



**SS 8015** \_\_\_\_\_  
Rasp for Austin Moore - Broad Stem



**SS 8020** \_\_\_\_\_  
Rasp for Thompson - Standard Stem



**SS 8025** \_\_\_\_\_  
Rasp for Thompson - Narrow Stem



**SS 8030** \_\_\_\_\_  
Rasp for Thompson - Broad Stem



**SS 8035** \_\_\_\_\_  
Murphy Lane Bone Skid



**SS 8040** \_\_\_\_\_  
Murphy Lane Bone Skid with Teflon Coating





SS 8045 \_\_\_\_\_  
Moore Hollow Chisel



SS 8050 \_\_\_\_\_  
Moore Hollow Chisel with Fibre Handle - Standard



SS 8055 \_\_\_\_\_  
Moore Hollow Chisel with Fibre Handle - Extra Large



SS 8060 \_\_\_\_\_  
Judet Auger Extractor



SS 8065 \_\_\_\_\_  
Measuring Gauge for Prosthesis



Cat. No.	Size
SS 8065-101	Set of Seven (39 to 51 mm)
SS 8065-102	Set of Ten (38 to 56 mm)
SS 8065-103	Set of Ten (37 to 55 mm)

SS 8070 \_\_\_\_\_  
Impactor - Nylon Faced



SS 8075 \_\_\_\_\_  
Impactor - Nylon Faced, Large Tip



SS 8080 \_\_\_\_\_  
Extractor with Two Hooks





SS 8085 \_\_\_\_\_  
Rasp for Austin Moore - Extra Long Stem



SS 8090 \_\_\_\_\_  
Spare Hook for Extractor







SS 9005 \_\_\_\_\_  
Plaster Saw Heavy Handle



SS 9010 \_\_\_\_\_  
Plaster Saw Engel



SS 9015 \_\_\_\_\_  
Plaster Saw Bergman



SS 9020 \_\_\_\_\_  
Plaster Spreader



SS 9025 \_\_\_\_\_  
Plaster Shear - Bohler's



SS 9030 \_\_\_\_\_  
Plaster Shear - Stille's



SS 9035 \_\_\_\_\_  
Plaster Shear - Gay's



SS 9040 \_\_\_\_\_  
Bandage Cutting Scissor





SS 9045 \_\_\_\_\_  
Plaster Bender



SS 9050 \_\_\_\_\_  
Plaster Opener - Daw's



SS 10005 \_\_\_\_\_  
Blount Knee Retractor



SS 10010 \_\_\_\_\_  
Martin's Cartilage Clamp



SS 10015 \_\_\_\_\_  
Maniscus Forceps



SS 10020 \_\_\_\_\_  
Smillie's Knee Joint Retractor (Set of Six)




SS 10025 \_\_\_\_\_  
Smillie's Maniscus Knife (Set of Three)



SS 10030 \_\_\_\_\_  
Charnley's Compression Clamp



SS 10035 \_\_\_\_\_  
Gigli Saw Wire



Cat. No.	Size
SS 10035-101	Ordinary
SS 10035-102	Fine (Imported)

SS 10045 \_\_\_\_\_  
Gigli Saw Introducer



SS 10055 \_\_\_\_\_  
Spare Burrs for Crutch Field Tong



SS 10065 \_\_\_\_\_  
Hudson Brace



SS 10040 \_\_\_\_\_  
Gigli Saw Handle (In Pair)



SS 10050 \_\_\_\_\_  
Crutch Field Tong with Two Burrs



Cat. No.	Size
SS 10050-101	Small
SS 10050-102	Medium
SS 10050-103	Large

SS 10060 \_\_\_\_\_  
Gardener - Wells Traction Tongs



SS 10070 \_\_\_\_\_  
Hudson Conical Burr



Cat. No.	Size
SS 10070 -101	9 mm
SS 10070 -102	11 mm
SS 10070 -103	13 mm
SS 10070 -104	16 mm





*SS 10075*  
Hudson Spherical Burr



<b>Cat. No.</b>	<b>Size</b>
<i>SS 10075-101</i>	11 mm
<i>SS 10075-102</i>	13 mm
<i>SS 10075-103</i>	16 mm
<i>SS 10075-104</i>	19 mm
<i>SS 10075-105</i>	22 mm

*SS 10080*  
Hudson Perforator



<b>Cat. No.</b>	<b>Size</b>
<i>SS 10080-101</i>	11 mm
<i>SS 10080-102</i>	13 mm
<i>SS 10080-103</i>	16 mm

SS 11005 \_\_\_\_\_  
Skin Grafting Knife - Small



SS 11010 \_\_\_\_\_  
Skin Grafting Knife - Large



SS 11015 \_\_\_\_\_  
Skin Grafting Knife - Large (Left Handed)



SS 11020 \_\_\_\_\_  
Large Distractor for Tibia & Femur



SS 11025 \_\_\_\_\_  
Mini Distractor for Forearm



SS 11030 \_\_\_\_\_  
Small Distractor for Tibia



SS 12005 \_\_\_\_\_  
Electric Plaster Cutting Saw with Two Blades



SS 12010 \_\_\_\_\_  
Spare Blade - Small



SS 12015 \_\_\_\_\_  
Spare Blade - Large



SS 13005 \_\_\_\_\_  
Guide Pin with Threaded Tip



SS 13010 \_\_\_\_\_  
DHS Angle Guide



Cat. No.	Size
SS 13010-101	135°
SS 13010-102	130°
SS 13010-103	140°
SS 13010-104	150°

SS 13015 \_\_\_\_\_  
T - Handle with Quick Coupling



SS 13020 \_\_\_\_\_  
Direct Measuring Device



SS 13025 \_\_\_\_\_  
DHS Tripple Reamer



SS 13030 \_\_\_\_\_  
Wrench for DHS Screws



SS 13035 \_\_\_\_\_  
DHS Impactor



SS 13040 \_\_\_\_\_  
DHS Tap





SS 13045 \_\_\_\_\_  
Centering Sleeve for DHS Tap



SS 13050 \_\_\_\_\_  
Centering Sleeve for DHS Wrench



SS 13055 \_\_\_\_\_  
Coupling Screw for Inserting DHS Screw



SS 13060 \_\_\_\_\_  
Guide Shaft for Coupling Screw



SS 13065 \_\_\_\_\_  
Long Coupling Screw for DHS Screw Removal



SS 13070 \_\_\_\_\_  
Stylet



SS 13075 \_\_\_\_\_  
DCS Tripple Reamer



SS 13080 \_\_\_\_\_  
DCS Angle Guide






SS 13085

DHS Tripple Reamer - Short Reamer



SS 14005 \_\_\_\_\_  
Cannulated Drill Bit 4.5mm



SS 14010 \_\_\_\_\_  
Cannulated Tap 7.0mm



SS 14015 \_\_\_\_\_  
Protection Sleeve 4.5mm



SS 14020 \_\_\_\_\_  
Parallel Wire Guide



SS 14025 \_\_\_\_\_  
Direct Measuring Device



SS 14030 \_\_\_\_\_  
Threaded Guide Wire 2.0mm



SS 14035 \_\_\_\_\_  
Large Cannulated Hexagonal Screw Driver - 3.5mm Tip



SS 14040 \_\_\_\_\_  
Stylet





SS 14045 \_\_\_\_\_

Drill Bit Q. C. 2.0mm



SS 14050 \_\_\_\_\_

Cannulated Counter Sink, Length 230mm



SS 15005 \_\_\_\_\_  
Threaded Guide Wire 1.25mm



SS 15010 \_\_\_\_\_  
Cannulated Drill Bit 2.7/1.35mm



SS 15015 \_\_\_\_\_  
Cannulated Drill Bit 3.5/1.35mm



SS 15020 \_\_\_\_\_  
Cannulated Counter Sink



SS 15025 \_\_\_\_\_  
Cannulated Tap 4.0mm



SS 15030 \_\_\_\_\_  
Double Drill Sleeve 2.7/1.25mm



SS 15035 \_\_\_\_\_  
Drill Guide with Stop 3.5/2.7mm with Two Inserts



SS 15040 \_\_\_\_\_  
Cannulated Hexagonal Screw Driver - 2.5mm Tip







SS 15045

Direct Measuring Device



SS 15050

Stylet



SS 15055

Holding Clip



SS 15060

Quick Coupling Tap Handle - Cannulated



SS 15065

Drill & Tap Sleeve Combined 2.5/3.5mm



# SAMAY Surgical

**Mfg. Orthopedic Implants & Instruments**

**An ISO 13485: 2003 Certified Company & CE**

**Survey No.- 212, Plot No.- 6, Nr. Patidar Plastic, NH-8B, Veraval(Shapar),**

**Dist.-Rajkot, Ph.- (+91)(2827)252154, Mo. +91 94279 14017.**

**Email: [samay\\_surgical@yahoo.com](mailto:samay_surgical@yahoo.com), [info@samaysurgical.com](mailto:info@samaysurgical.com).**

**Website: [www.samaysurgical.com](http://www.samaysurgical.com)**